

# Technical data

## IMPRESSA XJ9



### JURA standards

Variable brewing unit, from 5 g to 16 g	■
Intelligent Pre-Brew Aroma System (I.P.B.A.S.©)	■
Intelligent preheating	■
Active bean monitoring	■
Energy Save Mode (E.S.M.©)	■
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid system	1
Parallel fluid systems	
Monitored drip tray	■
Maintenance status display	■
Integrated rinsing, cleaning and descaling program	■
Adjustable water hardness	■
One or two cups of espresso in one brewing operation	■
JURA hygiene: TÜV-certified	■
CLARIS filter cartridge	CLARIS Pro Blue
CLARIS water-filtering system	
Zero-Energy Switch or power switch	■
Swiss made	■

### JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it may be possible that the content of your manual data in this sheet does not correspond to the actual product.

# Technical data

## IMPRESSA XJ9



### Specific advantages

Latte macchiato at the touch of a button	1
Caffè latte at the touch of a button	
Cappuccino at the touch of a button	1
Pot of espresso-quality coffee	
No. of individually programmable specialities	10
Direct water supply connection	
Drip drain set	
Separate water tank for descaling	
Professional barista steam lance	
Steam lance	
Milk or milk foam preparation selectable via electrically controlled air intake	
JURA fine foam technology	
Electrically adjustable ceramic disc grinder (levels)	
Aroma+ grinder	■
Multi-level conical grinder	
Power hot water system (3 temperature levels)	
Hot water system (3 temperature levels)	■
Hot water system	
Hot water spout	■
Parallel preparation of coffee and hot water or steam	
Powder recognition for additional ground coffee variety	■
Indicator light for bean container	

### JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that the content of your manual in this sheet does not correspond to the actual product.

# Technical data

## IMPRESSA XJ9



À la carte bean selection

Cup tray

Remaining time display

Connector System©

Generating code groups

Automatic milk rinse

TÜV certificate for user-friendly user manual

### Settings and programming options

Programmable amount of water

Amount of water can be adjusted for each preparation

Programmable coffee strength

Coffee strength can be adjusted for each preparation

Programmable brewing temperature

Programmable amount of milk

Hot water temperature can be programmed

Programmable amount of hot water

Rotary Switch for intuitive navigation

Programmable preparation buttons

Resettable day counter

Programmable switch-on time

Programmable switch-off time

Switch-on and switch-off times can be specified for each day of the week

### JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it may be possible that the content of your manual data in this sheet does not correspond to the actual product.

# Technical data

## IMPRESSA XJ9



Shows the number of preparations for each individual product	■
Resettable cup counter	■
Water filter display	■
Integrated cappuccino rinsing and cleaning programme	■

### Design and materials

Alu Frame Design© 3 mm aluminium front panel	
TFT colour display	■
Plain text display	
Clear text / graphic display	
Venti Ports	
Height-adjustable dual spout (Milk/Coffee)	
Width-adjustable dual spout	
Height-adjustable coffee spout	65-111 mm
Width-adjustable coffee spout	20-50 mm
Height-adjustable cappuccino spout	110-153 mm
Height-adjustable hot water spout	
Cappuccino spout	
Cup illumination	■
Powder chute for second, ground coffee	■
Sound design	■

### JURA Elektroapparate AG

Since our products are constantly updated with the latest technology, it is possible that the content of your manual data in this sheet does not correspond to the actual product.

# Technical data

## IMPRESSA XJ9



### Accessories

Cup warmer	■
Compressor Cooler Pro	
Cool Control	■
Milk Cooler Piccolo	■
Accounting system	
MDB interface unit	
Coffee to Go equipment	■
Professional accessory drawer	■
Permanent water connection kit	
Drip drain set	■
Coffee grounds disposal function set	■

### In figures

Water tank capacity	4 l
Coffee grounds container (servings)	max. 40
Bean container with aroma preservation cover	500 g
Bean container can be optionally extended to	
Cable length	~1.1 m
Voltage	220-240 V AC
Amperage	10A
Power	1450 W
Permanent water connection	

### JURA Elektroapparate AG

Since our products are constantly improved with the latest technology, it may be possible that the content of your manual data in this sheet does not correspond to the actual situation.

# Technical data

## IMPRESSA XJ9



Drip drain pipe

Stand-by power	< 0.1 W
----------------	---------

Weight	13 kg
--------	-------

Dimensions (W x H x T)	34 x 50 x 44 cm
------------------------	-----------------

Checks	CE 
--------	--

Article number / colour	CH 13635 Brillantsilver EU 13636 Brillantsilver
-------------------------	--

**JURA Elektroapparate AG**

Since our products are constantly updated with the latest technology, it may be possible that the colour of your machine in this sheet does not correspond to the actual colour of the machine.